

FLEXIBILITY OF ENTROPIES FOR PIECEWISE EXPANDING UNIMODAL MAPS

LLUÍS ALSÈDÀ, MICHAŁ MISIUREWICZ, AND RODRIGO A. PÉREZ

ABSTRACT. We investigate the *flexibility* of the entropy (topological and metric) for the class of piecewise expanding unimodal maps. We show that the only restrictions for the values of the topological and metric entropies in this class are that both are positive, the topological entropy is at most $\log 2$, and by the Variational Principle, the metric entropy is not larger than the topological entropy.

In order to have a better control on the metric entropy, we work mainly with topologically mixing piecewise expanding skew tent maps, for which there are only 2 different slopes. For those maps, there is an additional restriction that the topological entropy is larger than $\frac{1}{2} \log 2$.

We also make the interesting observation that for skew tent maps the sum of reciprocals of derivatives of all iterates of the map at the critical value is zero. It is a generalization and a different interpretation of the Milnor-Thurston formula connecting the topological entropy and the kneading determinant for unimodal maps.

1. INTRODUCTION

Recently an important program in Dynamical Systems was initiated by Anatole Katok. It concerns *flexibility*, that is, the idea that for a given class of dynamical systems, dynamical invariants (for instance entropies) can take arbitrary values, subject only to natural restrictions. Various results in this direction were obtained for instance in papers [E, EK, BKRH].

Here we investigate the family of piecewise expanding unimodal maps. While they are not smooth, they are piecewise smooth (in fact, the maps that we consider are piecewise linear). For those maps, by [LaY], there exists an absolutely continuous invariant probability measure. By [LiY], this measure is unique. Therefore we can consider its metric entropy (which is also equal to its Lyapunov exponent), as well as the topological entropy of the map. Both entropies are positive, topological entropy is at most $\log 2$, and by the Variational Principle, the metric entropy is not larger than the topological entropy. We will show (Theorem B) that those are the only restrictions for the values of those entropies.

In order to have a better control on the metric entropy, we will work mainly with piecewise expanding skew tent maps, for which there are only 2 different slopes. In

Date: February 26, 2020.

2020 Mathematics Subject Classification. 37A35, 37B40, 37E05.

Key words and phrases. Flexibility, unimodal maps, skew tent maps, piecewise expanding maps, topological entropy, metric entropy.

This work was partially supported by grant number 426602 from the Simons Foundation to Michał Misiurewicz and by the Spanish grant MTM2017-86795-C3-1-P from the “Agencia Estatal de Investigación” (AEI). Michał Misiurewicz also acknowledges the support and hospitality of the Centre de Recerca Matemàtica, Barcelona, Spain.